

Index

A

abdominal adenopathy.....38
abdominal pain.....38–39, 42–43
acalculous cholecystitis.....38, 42
access to counselling and testing.....95
access to services.....96
acid fast bacilli (AFB).....15
acquired immunodeficiency syndrome (AIDS).....
.....8, 15, 17, 34, 39, 55
 ▪ children.....73
 ▪ eye conditions.....46, 48
acute pancreatitis.....39, 42
acute retroviral syndrome
 see HIV seroconversion illness
AIDS cholangiopathy.....38, 42
anaemia.....53
anal carcinoma.....62
anal fistulae.....39, 43
angular cheilitis.....33
anorectal diseases.....39, 43
antibiotic therapy, not responding to.....15
antigen tests.....86, 89
antiretroviral therapy
 ▪ combined (cART).....6, 66, 68
 ▪ skin conditions.....63
ascites.....39, 43
Asia, prevalence rates.....6

B

bleeding, gastrointestinal.....39, 43
blepharitis.....47
blood counts, abnormal.....52
bone marrow.....53
breastfeeding.....78

C

Campylobacter jejuni.....40
cancer
 see also cervical cancer; Kaposi's sarcoma
 ▪ and abdominal pain.....39
 ▪ and lymphadenopathy.....54–55
 ▪ and skin conditions.....62
Candida oesophagitis.....36
candidiasis.....39
 ▪ oral.....33

case studies

 ▪ children with HIV.....75–76
 ▪ eye conditions.....48–49
 ▪ haematological conditions.....52, 53, 54
 ▪ hepatitis.....69–70
 ▪ injecting drug users (IDUs).....84
 ▪ laboratory diagnosis.....90–91
 ▪ neurological conditions.....24–27
 ▪ oesophageal conditions.....36
 ▪ pregnant women with HIV.....79
 ▪ respiratory diseases.....16, 17, 18
 ▪ seroconversion illness.....11–12
 ▪ sexually transmitted infections (STI).....30–31
 ▪ skin conditions.....63–64
 ▪ thrombocytopenia.....52

CD4 lymphocyte cells, timeline of cutaneous
change.....58–59

CD4 lymphocyte count.....7

central nervous system, opportunistic infections
.....22–24

cerebral toxoplasmosis.....22

cerebrospinal fluid analysis.....22, 50

cervical cancer.....79

cervical intraepithelial neoplasia.....62

chest x-rays.....16, 17

children, diagnosing STIs.....28

children with HIV.....73–76

 ▪ breastfeeding.....78

 ▪ infants.....89, 91

 ▪ lymphocytic interstitial pneumonitis.....18

clinical assessments.....7

 ▪ sexual history taking.....29

clinics, patients presenting.....10, 28, 83

Clostridium difficile.....40

coagulation abnormalities.....53

combined antiretroviral therapy (cART).....6

 ▪ and hepatitis.....66, 68

community-acquired pneumonia.....17–18

condoms.....97

confidentiality.....93, 96

confirmatory tests.....87, 98

contact tracing.....98

counselling.....93–98

 ▪ injecting drug users (IDUs).....81

 ▪ pregnant women with HIV.....78

cryptococcal chorioretinitis.....	50	fungal infections	
cryptococcal meningitis.....	22	▪ respiratory diseases.....	15, 18
cryptococcosis.....	61	▪ skin conditions.....	61
<i>Cryptosporidium parvum</i>	38, 41	G	
cultural issues.....	95	gastric diseases.....	42
<i>Cyclospora cayetanesis</i>	41	gastroduodenal lymphoma.....	39
cytomegalovirus.....	34, 37, 38, 39, 41	gastrointestinal bleeding.....	39, 43
Cytomegalovirus oesophagitis.....	36	gastrointestinal diseases.....	32, 38–44
cytomegalovirus retinitis.....	48, 49	gastroenteritis.....	38
D		<i>Giardia lamblia</i>	41
deep venous thrombosis.....	53	gingivitis.....	33, 37
dementia, HIV-1-associated (HAD).....	20, 21–22	gum diseases.....	33
dengue.....	12	gynaecology and HIV infection.....	78–79
depression, injecting drug users (IDUs).....	83	H	
dermatological conditions.....	57–64	haematological conditions.....	52–55
diagnosis.....	9–10	health care workers.....	6
▪ difficulties in making.....	11	▪ attitude of.....	95
▪ laboratory.....	86–91	▪ clinical assessments.....	7
diarrhoea.....	38, 40–42	▪ counselling and testing.....	93–98
▪ children with HIV.....	76	▪ sexual history taking.....	29
direct observed therapy (DOT).....	16	hepatitis.....	28, 66–70
disclosure to partners.....	97	▪ injecting drug users (IDUs).....	82–83
discrimination.....	94–95	hepatitis B.....	67
distal symmetrical sensory peripheral neuropathy.....	24	hepatosplenomegaly.....	38
drug reactions, skin conditions.....	63	herpes simplex virus.....	34, 37, 39, 48, 82
dysphagia.....	36, 39–40	▪ skin conditions.....	60
E		herpes zoster.....	82
ELISA tests.....	86–87	herpes zoster ophthalmicus.....	47
endocarditis.....	83	heterosexual transmission.....	6, 7
<i>Entamoeba histolytica</i>	42	HIV disease, symptoms.....	7
eosinophilic folliculitis.....	62–63	HIV enteropathy.....	38, 42
epidemiology.....	6	HIV infection	
epigastric pain.....	38–39	▪ early detection.....	6
Epstein-Barr virus.....	34, 37, 55	▪ estimates.....	6
erythematous candidiasis.....	33	▪ laboratory diagnosis.....	86–91
erythematous macules.....	63	HIV retinopathy.....	48
erythroderma.....	63	HIV seroconversion illness.....	7, 9–12
<i>Escherichia coli</i>	40	▪ management.....	7
ethics.....	94	▪ skin conditions.....	58
eye conditions.....	46–50	HIV serology.....	86–89
F		HIV status, not aware of.....	6
false-negative test results.....	86	HIV testing.....	97–98
false-positive test results.....	86	▪ and children with HIV.....	75
fever.....	15, 38, 53	▪ confidentiality.....	93
follow-up services.....	96, 97	▪ and counselling.....	93–94, 96–97
		▪ in gynaecological settings.....	79
		▪ informed consent.....	94

<ul style="list-style-type: none"> ▪ injecting drug users (IDUs).....81 ▪ laboratory diagnosis.....86–91 ▪ right to decline testing.....94, 95, 96 ▪ test results.....86, 96–97, 98 ▪ voluntary.....94 	<ul style="list-style-type: none"> lymphocyte cells see CD4 lymphocyte cells
HIV-1-associated dementia (HAD).....20, 21–22	lymphocytic interstitial pneumonitis.....18
Hodgkin’s disease.....55	lymphoid disorders.....52
human papillomavirus infection.....34, 60–61	lymphoma.....38, 54–55
human rights.....94	▪ gastroduodenal.....39
hyperplastic candidiasis.....33	▪ oral.....35
I	
immune thrombocytopenic purpura.....52	
incubation period.....7	
indeterminate test results.....98	
infants.....78	
▪ diagnosis.....89, 91	
infections	
see HIV infection; opportunistic infections	
infectious keratitis.....48	
information provision.....94, 96	
informed consent.....93, 94	
injecting drug users (IDUs).....6, 81–84	
intestinal obstructions.....38, 43	
<i>Isospora belli</i>42	
J	
Joint United Nations Programme on HIV/AIDS (UNAIDS)6	
K	
Kaposi’s sarcoma.....55	
▪ abdominal pain.....38	
▪ eye manifestations.....47	
▪ oral manifestations.....34–35, 37	
▪ respiratory manifestations.....18	
▪ skin conditions.....62	
keratitis, infectious.....48	
L	
laboratory diagnosis.....86–91	
▪ hepatitis.....67–68	
laboratory quality assurance.....89–90	
linear gingival erythema.....33	
liver-related diseases.....66	
living with HIV, not aware of HIV status.....6	
lung cancer.....18	
lymph nodes.....16, 54–55	
lymphadenopathy.....54–55	
	MAC-associated mesenteric lymphadenitis...38, 39
	malignancies.....18, 54–55, 62
	malnutrition, children with HIV.....76
	management, primary infection.....7
	men who have sex with men.....7
	▪ anorectal diseases.....39
	▪ Kaposi’s sarcoma.....35
	meningitis
	▪ cryptococcal.....22
	▪ tuberculosis.....23
	mental health, injecting drug users (IDUs).....83
	mesenteric lymphadenitis.....38, 39, 42
	microsporidiosis.....41
	molluscum contagiosum.....47
	mother-to-child transmission.....73, 78
	mucosal ulceration.....34, 37
	<i>Mycobacterium avium</i> complex (MAC)....35, 39, 41
	<i>Mycobacterium tuberculosis</i>15
N	
	necrotising ulcerative periodontitis.....33
	negative test results.....98
	▪ false-negative test results.....86
	▪ post test counselling.....96–97
	neoplasms
	see cancer
	neurological conditions.....20–27
	neutropenia.....53
	non-Hodgkin’s lymphoma.....18, 55
	▪ oral.....35, 37
	Nucleic Acid Amplification Test (NAAT).....89
	nutrition.....76
O	
	obstetrics.....78–79
	ocular adnexa.....46–47
	ocular complications.....46–50
	ocular syphilis.....49–50
	ocular toxoplasmosis.....49
	odynophagia.....36, 39–40

oesophageal conditions.....	36	preventative health measures.....	97
opportunistic infections.....	7–8	primary infection	
▪ central nervous system.....	22–24	see HIV seroconversion illness	
oral aphthous infection.....	35–36	pruritus.....	63
oral diseases.....	32–36, 37	<i>Pseudomonas aeruginosa</i>	15
oral hairy leukoplakia.....	34, 37	pseudomembranous candidiasis.....	33
oral thrush.....	17, 33, 76	psychiatric disorders, injecting drug users (IDUs) ..	
oral warts.....	34	83
oropharyngeal candidiasis.....	37		
P		Q	
p24 antigen tests.....	89	quality assurance, laboratory.....	89–90
Pacific region, prevalence rates.....	6	R	
paediatric patients with HIV		rapid tests.....	87–89
see children with HIV		referrals.....	97
pain, abdominal.....	38–39, 42–43	religious issues.....	95
pancreatitis.....	39, 42	respiratory diseases.....	15–18
Pap tests.....	79	▪ injecting drug users (IDUs).....	81–82
Papua New Guinea		respiratory tract infections.....	81–82
▪ prevalence rates.....	6	retinopathy.....	48
▪ transmission modes.....	7	right to decline testing.....	94, 95, 96
parents with HIV.....	73	risk assessment.....	7, 96
partners.....	7	▪ inadequate.....	11
patients presenting.....	10	risk behaviours.....	7
▪ injecting drug users (IDUs).....	83	risk reduction measures.....	6
▪ sexually transmitted infections (STI).....	28		
penicilliosis.....	18, 61	S	
<i>Penicillium marneffeii</i>	61, 82	<i>Salmonella</i>	40
penile intraepithelial neoplasia.....	62	scabies.....	62
periodontal diseases.....	33, 37	screening	
perirectal abscesses.....	39, 43	▪ for cervical cancer.....	79
peritonitis.....	39, 43	▪ for STIs.....	28
physical examinations		seborrhoeic dermatitis.....	61
▪ gastrointestinal bleeding.....	39	sex workers.....	6
▪ hepatitis.....	67	sexual activity.....	7, 95
▪ sexually transmitted infections (STI).....	29	sexual history taking.....	29
▪ skin conditions.....	58	sexually transmitted infections (STI).....	28–31, 39, 79
<i>Pneumocystis jirovecii</i> pneumonia.....	17, 50	<i>Shigella</i>	40
pneumonia		sicca syndrome.....	47
▪ community-acquired.....	17–18	sinusitis.....	15
▪ <i>Pneumocystis jirovecii</i> pneumonia.....	17	skin conditions.....	57–64
positive test results.....	96, 98	▪ injecting drug users (IDUs).....	82
▪ false-positive test results.....	86	▪ Kaposi's sarcoma.....	34–35
▪ post test counselling.....	97	small bowel infections.....	38
post test counselling.....	93, 96–97	social issues.....	95
pre test counselling.....	93, 96	soft tissue infections.....	82
predictive values for rapid HIV tests.....	87–89	<i>Staphylococcus aureus</i>	82
pregnant women with HIV.....	78–79		
prevalence rates.....	6, 78		

symptoms	
▪ and children with HIV.....	73–74
▪ hepatitis.....	66–68
▪ HIV seroconversion illness.....	7, 9–12
▪ and injecting drug users (IDUs).....	83
▪ neurological conditions.....	20–21, 22–24
syphilis.....	28, 49–50, 61–62

T

teeth.....	33
tenesmus.....	39
tests	
see HIV testing	
Thailand.....	7
thrombocytopenia.....	52
thrombosis.....	53
thrombotic thrombocytopenia purpura.....	52
thrush, oral.....	17, 33, 76
toxoplasma encephalitis.....	23
toxoplasma retinochoroiditis.....	49
toxoplasmosis.....	49
transmission modes.....	7
▪ mother-to-child.....	73, 78
transmission prevention.....	96, 97
tuberculosis.....	15–16, 50, 54
▪ and children with HIV.....	75
▪ treatment drugs and hepatitis.....	69
tuberculosis meningitis.....	23

U

ulceration.....	38
ulcers, idiopathic.....	39
United Nations General Assembly Special Session (UNGASS).....	7

V

varicella zoster virus.....	34, 47, 48, 60
venous thromboembolism.....	53
viral infections, oral.....	34

W

warts.....	60–61
oral.....	34
Western blot (WB) confirmatory test.....	87
window period.....	86, 89, 96, 97–98
women with HIV.....	6, 7
▪ pregnancy.....	78–79
World Health Organization (WHO).....	6